CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222          MM      MM
GG         88    88   111     22    22         MMM    MMM
GG         88    88    11           222        MMMMMMMMM
GG  GGGG   888888      11         222           MM MM MM
GG    GG   88    88    11       22              MM      MM
GG    GG   88    88    11      22               MM      MM
 GGGGGG    888888  11111111  22222222           MM      MM
```

CROSSTABS

OFRFIL BY GROCC

BY DCON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JCXM

77/04/08. 20.15.22.

7 APR -CHANGES TO *CDECKS*, RECORD MANAGER IMPROVEMENTS,
NEW VERSION OF MEMO NO. 27, SEE THE BULLET.

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDTP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

UNIVERSITY OF COLORADO COMPUTING CENTER
DATA DOCUMENTS/IMPSS-192

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
      MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
      CROSSTABS VARIABLES=OFRFIL(0,18)/GROCC(0,18)/DCON(0,7)/TABLES=OFRFIL BY
               GROCC BY DCON
      STATISTICS ALL
      READ INPUT DATA
```

047700 CM NEEDED FOR CROSSTABS

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 5

FILE PARIS (CREATION DATE = 77/04/08.)

* CROSSTABULATION OF *

OFRFIL BY GROCC

CONTROLLING FOR.. DCON VALUE.. 2 → 1590-1599

* PAGE 1 OF 4

GROCC

OFRFIL	COUNT / ROW PCT / COL PCT / TOT PCT	2 Paris Parl	3 Comptes ou Aides	4 Royal Holdschold	5 Municipal official	6 Royal fin. off. in Paris	7 royal fin in prov	9 Jud. or Admin in Paris	10 Bourgeois	11 sec. du roi	12 Avocat	ROW TOTAL
2		1	3	1	0	1	0	0	2	1	2	13
		7.7	23.1	7.7	0	7.7	0	0	15.4	7.7	15.4	37.1
Paris Parl		50.0	75.0	25.0	0	100.0	0	0	25.0	100.0	50.0	
		2.9	8.6	2.9	0	2.9	0	0	5.7	2.9	5.7	
3		1	0	0	0	0	1	0	0	0	0	2
		50.0	0	0	0	0	50.0	0	0	0	0	5.7
Comptes ou Aides		50.0	0	0	0	0	25.0	0	0	0	0	
		2.9	0	0	0	0	2.9	0	0	0	0	
5		0	0	1	0	0	1	0	1	0	0	4
		0	0	25.0	0	0	25.0	0	25.0	0	0	11.4
Municipal official		0	0	25.0	0	0	25.0	0	12.5	0	0	
		0	0	2.9	0	0	2.9	0	2.9	0	0	
8		0	0	1	0	0	0	0	0	0	0	1
		0	0	100.0	0	0	0	0	0	0	0	2.9
Career Military off.		0	0	25.0	0	0	0	0	0	0	0	
		0	0	2.9	0	0	0	0	0	0	0	
10		0	0	0	0	0	0	1	3	0	2	6
		0	0	0	0	0	0	16.7	50.0	0	33.3	17.1
Bourgeois		0	0	0	0	0	0	100.0	37.5	0	50.0	
		0	0	0	0	0	0	2.9	8.6	0	5.7	
11		0	1	0	1	0	0	0	1	0	0	3
		0	33.3	0	33.3	0	0	0	33.3	0	0	8.6
Sec. du roi		0	25.0	0	50.0	0	0	0	12.5	0	0	
		0	2.9	0	2.9	0	0	0	2.9	0	0	
12		0	0	1	1	0	0	0	0	0	0	2
		0	0	50.0	50.0	0	0	0	0	0	0	5.7
Avocat		0	0	25.0	50.0	0	0	0	0	0	0	
		0	0	2.9	2.9	0	0	0	0	0	0	
13		0	0	0	0	0	2	0	0	0	0	2
		0	0	0	0	0	100.0	0	0	0	0	5.7
Legal funct. in Paris		0	0	0	0	0	50.0	0	0	0	0	
		0	0	0	0	0	5.7	0	0	0	0	
COLUMN TOTAL		2 5.7	4 11.4	4 11.4	2 5.7	1 2.9	4 11.4	1 2.9	8 22.9	1 2.9	4 11.4	35 100.0

(CONTINUED)

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 6

FILE PARIS (CREATION DATE = 77/04/08.)

* CROSSTABULATION OF *

OFRFIL BY GROCC

CONTROLLING FOR.. DCON VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 7

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OFRFIL BY GROCC

CONTROLLING FOR.. DCON VALUE.. 2 → 1590-1599

* * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 8

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OFRFIL BY GROCC

CONTROLLING FOR..

DCON VALUE.. 2 → 1590-1599

* PAGE 4 OF 4

		GROCC			
	COUNT / ROW PCT / COL PCT / TOT PCT	High Off. Noble Part	Grand Conseil	Monnoies ou Marbre	ROW TOTAL
OFRFIL		14	15	16	
Grand Conseil	15	0	1	0	1
		0	100.0	0	2.9
		0	50.0	0	
		0	2.9	0	
Monnoies ou Marbre	16	0	0	0	1
		0	0	0	2.9
		0	0	0	
		0	0	0	
	COLUMN TOTAL	1 2.9	2 5.7	1 2.9	35 100.0

RAW CHI SQUARE = 103.56971 WITH 108 DEGREES OF FREEDOM. SIGNIFICANCE = .6066

CRAMER≠S V = .57340

CONTINGENCY COEFFICIENT = .86453

LAMBDA (ASYMMETRIC) = .27273 WITH OFRFIL DEPENDENT. = .25926 WITH GROCC DEPENDENT.

LAMBDA (SYMMETRIC) = .26531

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .54207 WITH OFRFIL DEPENDENT. = .44811 WITH GROCC DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .49063

KENDALL≠S TAU B = .02916. SIGNIFICANCE = .4121

KENDALL≠S TAU C = .02721. SIGNIFICANCE = .4121

CONDITIONAL GAMMA = .03371

SOMERS≠S D (ASYMMETRIC) = .02778 WITH OFRFIL DEPENDENT. = .03061 WITH GROCC DEPENDENT.

SOMERS≠S D (SYMMETRIC) = .02913

ETA = .55286 WITH OFRFIL DEPENDENT.

ETA = .55146 WITH GROCC DEPENDENT.

DATA DOCUMENTS/INF-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 9

FILE PARIS (CREATION DATE = 77/04/08.)

* CROSSTABULATION OF *

OFRFIL BY GROCC

CONTROLLING FOR.. DCON VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 10

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OFRFIL BY GROCC

CONTROLLING FOR..

DCON VALUE.. 3 → 1600-1609

* PAGE 2 OF 4

GROCC

OFRFIL	COUNT / ROW PCT / COL PCT / TOT PCT	HIGH OFF. ABOUT PARL 14	Grand Conseil 15	Autre position 18	ROW TOTAL
1		0	0	0	2
		0	0	0	4.3
		0	0	0	
		0	0	0	
2		0	0	1	9
		0	0	11.1	19.6
		0	0	50.0	
		0	0	2.2	
3		0	0	1	5
		0	0	20.0	10.9
		0	0	50.0	
		0	0	2.2	
4		0	0	0	3
		0	0	0	6.5
		0	0	0	
		0	0	0	
6		0	0	0	4
		0	0	0	8.7
		0	0	0	
		0	0	0	
7		0	0	0	2
		0	0	0	4.3
		0	0	0	
		0	0	0	
8		0	0	0	1
		0	0	0	2.2
		0	0	0	
		0	0	0	
9		1	0	0	2
		50.0	0	0	4.3
		100.0	0	0	
		2.2	0	0	
COLUMN TOTAL		1 / 2.2	1 / 2.2	2 / 4.3	46 / 100.0

Prov. Parl

Paris Parl

Comptes ou Aides

Royal Household

Royal fin. Off. in Paris

Royal fin. Off. in Prov

Career Military

Jud. or Admin. in Prov

(CONTINUED)

UNIVERSITY OF COLORADO COMPUTING CENTER

DATA DOCUMENTS/IMPASS-192

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 11

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

OFRFIL BY GROCC

CONTROLLING FOR..

DCON VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * * \

TRIAL RUN FOR THE PARLEMENT 77/04/08. PAGE 12

FILE PARIS (CREATION DATE = 77/04/08.)

* * * * * * * * * * * * * * * * * * CROSSTABULATION OF *

OFRFIL BY GROCC

CONTROLLING FOR..

DCON VALUE.. 3 → 1600-1609

* * * * * * * * * * * * * * * * * * * \

ETA = .68441 WITH OFRFIL DEPENDENT.
ETA = .64238 WITH GROCC DEPENDENT.

ETA DOCUMENTS/INCS-192

UNIVERSITY OF COLORADO COMPUTING CENTER